



# 青岛立高金属制品有限公司

QINGDAO LEAGLE INDUSTRY CO.,LTD.



Item	Value	Status
1. Environmental Policy	100%	Pass
2. Environmental Impact Assessment	100%	Pass
3. Environmental Monitoring and Control	100%	Pass
4. Environmental Management System	100%	Pass
5. Environmental Training	100%	Pass
6. Environmental Communication	100%	Pass
7. Environmental Emergency Response	100%	Pass
8. Environmental Performance	100%	Pass
9. Environmental Policy	100%	Pass
10. Environmental Impact Assessment	100%	Pass
11. Environmental Monitoring and Control	100%	Pass
12. Environmental Management System	100%	Pass
13. Environmental Training	100%	Pass
14. Environmental Communication	100%	Pass
15. Environmental Emergency Response	100%	Pass
16. Environmental Performance	100%	Pass
17. Environmental Policy	100%	Pass
18. Environmental Impact Assessment	100%	Pass
19. Environmental Monitoring and Control	100%	Pass
20. Environmental Management System	100%	Pass
21. Environmental Training	100%	Pass
22. Environmental Communication	100%	Pass
23. Environmental Emergency Response	100%	Pass
24. Environmental Performance	100%	Pass
25. Environmental Policy	100%	Pass
26. Environmental Impact Assessment	100%	Pass
27. Environmental Monitoring and Control	100%	Pass
28. Environmental Management System	100%	Pass
29. Environmental Training	100%	Pass
30. Environmental Communication	100%	Pass
31. Environmental Emergency Response	100%	Pass
32. Environmental Performance	100%	Pass
33. Environmental Policy	100%	Pass
34. Environmental Impact Assessment	100%	Pass
35. Environmental Monitoring and Control	100%	Pass
36. Environmental Management System	100%	Pass
37. Environmental Training	100%	Pass
38. Environmental Communication	100%	Pass
39. Environmental Emergency Response	100%	Pass
40. Environmental Performance	100%	Pass



## Company Introduction 公司概况



诚信、努力、高效，永远是成功者的必备。

青岛立高正是按以上的宗旨在迅速的发展壮大。从 2002 年开始创业至今，在手推车、花园车、货仓车等铁制产品上取得巨大成绩。在新产品的开发上更是步步成功，生产能力在日益扩大，许多产品已取得了 TUV/GS 认证。

青岛立高愿继续与国内外朋友真诚合作，取得更好的成绩，让客户满意是青岛立高最大的心愿。

To be honest, Work hard and High efficiency, they are the bases for the people who makes success.

Qingdao Leagle makes big improvement according to the above three rules. From the year 2002 to now, Qingdao Leagle got the huge achievement on Wheel Barrow, Garden Cart, Hand Truck and other metal products. On the development of new items, Qingdao Leagle got the success step by step also. The capacity of production is increased a lot, many items have gained TUV/GS certification now.

Qingdao Leagle hope to get more good achievement under the good cooperation with friends home and abroad in future. Qingdao Leagle gain is: let customers satisfied with Qingdao Leagle's service.

## 目 录 Contents

手推车 WHEEL BARROW .....	1
平板推车 PLATFORM HAND TRUCK .....	12
服务车 SERVICE CART .....	14
货仓车 HAND TROLLEY .....	15
花园车/工具车 GARDEN&LAWN CART/TOOL CART .....	25
工具 TOOLS .....	40
塑料垃圾桶 PLASTIC GARBAGE CAN SERIES .....	54
橡胶轮/PU发泡轮 RUBBER WHEEL/PU FOAM WHEEL .....	55
轮胎 TYRE .....	62
塑料制品 PLASTIC PRODUCTS .....	64



WB0102

Body Size:790x370x365mm(LxWxH)  
Wheel:6.5x2.4"  
Capacity:18L



WB0202

Body Size:970x420x420mm(LxWxH)  
Wheel:10"x300-4PU(260x85mm)  
Capacity:25L



6PCS/CTN



WB0202-1

Body Size:930x440x385mm(LxWxH)  
Wheel:10"x300-4PU(260x85mm)  
Capacity:25L





CE

WB0100

Body Size:735x370x390mm(LxWxH)  
Wheel:5.5"x1"  
Capacity:15L



CE

WB0101

Body Size:735x370x390mm(LxWxH)  
Wheel:5.5"x1"  
Capacity:15L



CE

WB0102-1

Body Size:720x350x215mm(LxWxH)  
Water capacity(L): 18 L  
Wheel:6.5 " x 4 "



WB0201P-1



WB0201P-2



WB0201

Body Size:840x430x342mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:25L



WB0201B-1

Body Size:1050x390x380mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:25L

WB0201-1

Body Size:1615x590x700mm(LxWxH)  
Wheel:14"x4"(350-8)/10"x350-4  
Capacity:90kg





### 手推车/WHEEL BARROW




■ WB6404H

Body Size:1390x595x680mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



■ WB6406

Body Size:1290x670x520mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:85L



■ WB5204

Body Size:1270x610x610mm(LxWxH)  
Wheel:350-6(13"x4")  
Capacity:80L



■ WB6204

Body Size:1430x605x540mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:85L



■ WB6401-1

Body Size:1300x620x640mm(LxWxH)  
Wheel:350-6(13"x4")  
Capacity:85L



■ WB6401-2

Body Size:1300x620x640mm(LxWxH)  
Wheel:350-6(13"x4")  
Capacity:85L



WB6414T

Body Size:1405x595x580mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6414T-1

Body Size:1405x595x580mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6404Z

Body Size:1445x595x595mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6414-B

Body Size:1450x600x580mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6414-G

Body Size:1450x600x580mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6414-P

Body Size:1450x600x580mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB6424

Body Size:1490x640x505mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:85L



WB6424T

Body Size:1487x678x560mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:85L



WB6407A

Body Size:1260x674x635mm(LxWxH)  
Wheel:350-6(13"x4")  
Capacity:85L



WB6204-1

Body Size:1430x605x540mm(LxWxH)  
Wheel:350-6(13"x4")  
Capacity:80L



WB5600

Body Size:1490x585x505mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:100L



WB5405

Body Size:1240x660x705mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:5CUFT



**WB9600-2**  
Body Size:1600x900x880mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:180L



**WB9600-3**  
Body Size:1620x700x770mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:200L



**WH8802**  
Body Size:1540x840x470mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:160L



**WH8802-1**  
Body Size:1550x880x450mm(LxWxH)  
Wheel:400-8PU(16"x4")  
Capacity:160L



**WH9600**  
Body Size:1575x575x540mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:180L



**WB5213**  
Body Size:1480x670x660mm(LxWxH)  
Wheel:480/400-8(16"x4")  
Sand Capacity:5.5CUFT



**WB5214**  
Body Size:1500x600x660mm(LxWxH)  
Wheel:480/400-8(16"x4")  
Sand Capacity:5CUFT



**WB6603**  
Body Size:1510x675x570mm(LxWxH)  
Wheel:480/400-8(16"x4")  
Sand Capacity:7CUFT



**WB9600-1**  
Body Size:1130x880x780mm(LxWxH)  
Wheel:480/400-8(16"x4")  
Sand Capacity:10CUFT





WB6200D

Body Size:1440x820x660mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:85L



WB6430

Body Size:1480x595x610mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:200KG



WB6431

Body Size:1480x595x610mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:200KG



WB6211

Body Size:1350x600x375mm(LxWxH)  
Wheel:400-6(13"x4")  
Capacity:80L



WB6203

Body Size:1390x665x467mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:85L



WB6200

Body Size:1400x660x460mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:85L



WB2203-2

Body Size:1400x600x560mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:100L



WB2330

Body Size:1400x600x560mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:100L



WB2203-3

Body Size:1360x615x560mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:60L



WB6201X

Body Size:1380x660x520mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:85L



WB2201X

Body Size:1430x680x590mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:60L





■ WB6201 3-IN-1

Body Size:1400x660x460mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:85L



■ WB2201 3-IN-1

Body Size:1320x495x540mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:60L



■ WB2203

Body Size:1310x550x530mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:60L



■ WB2203-1

Body Size:1280x485x520mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:60L



■ WB6400

Body Size:1430x680x590mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:85L



■ WB6400-1

Body Size:1400x680x560mm(LxWxH)  
Wheel:400-8PU(16"x4")  
Capacity:85L



■ WB6400-2

Body Size:1400x680x560mm(LxWxH)  
Wheel:400-8PU(16"x4")  
Capacity:85L



■ WB6400-3

Body Size:1350x680x560mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:85L



■ WB6400-4

Body Size:1430x680x590mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:85L



■ WB7200

Body Size:1440x510x298mm(LxWxH)  
Wheel:13"x3"A  
Capacity:85L



■ WB7400

Body Size:1470x440x520mm(LxWxH)  
Wheel:350-8(14"x4")  
Capacity:85L



■ WB7400-1

Body Size:1490x490x316mm(LxWxH)  
Wheel:4.00-8(16"x4")  
Capacity:100L



■ WB7601

Body Size:1640x510x560mm(LxWxH)  
Wheel:400-8(16"x4")  
Capacity:90L



■ WB2204

Body Size:1310x530x505mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:70L



■ WB1206

Body Size:1415x500x610mm(LxWxH)  
Wheel:3.25/3.00-8(13"x3")  
Capacity:100L



■ WB1208P

Body Size:1360x690x550mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:60L



■ WB2204-1

Body Size:1245x615x615mm(LxWxH)  
Wheel:325/300-8(13"x3")  
Capacity:100L



■ WH7805

Body Size:1540x635x515mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:6CUFT



■ WH7805-1

Body Size:1540x635x515mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:6CUFT



■ WH4400

Body Size:1430x690x505mm(LxWxH)  
Wheel:350-8(14"x4")  
Sand Capacity:4CUFT



■ WH5400

Body Size:1450x642x490mm(LxWxH)  
Wheel:350-8(14"x4")  
Sand Capacity:5CUFT



■ WH6601

Body Size:1505x675x530mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:6CUFT



■ WH8601

Body Size:1520x635x605mm(LxWxH)  
Wheel:650-8  
Capacity:100L



■ WH8602

Body Size:1530x633x550mm(LxWxH)  
Wheel:650-8  
Sand Capacity:6CUFT



■ WH8603

Body Size:1535x480x545mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:6CUFT



■ WB7805P

Body Size:1540x635x510mm(LxWxH)  
Wheel:400-8PU(16"x4")  
Sand Capacity:6CUFT



■ WB8600

Body Size:1630x555x565mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:6CUFT



■ WH6600S

Body Size:1510x530x550mm(LxWxH)  
Wheel:400-8(16"x4")  
Sand Capacity:7CUFT



■ WH7809

Body Size:1520x523x565mm(LxWxH)  
Wheel:400-8  
Capacity:100L



■ WB3800

Body Size:1380x620x540mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:60L



■ WB3800-1

Body Size:1360x455x540mm(LxWxH)  
Wheel:300-8(13"x3")  
Capacity:60L



■ WB0403

Body Size:1040x625x775mm(LxWxH)  
Wheel:300-4(260X85)  
Capacity:30KGS



■ WB0403


Body Size:1105x533x785mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:30KGS



■ SFD120-1

Motor---750W,48V,Brush motor  
Max Forward speed---0 to 5km/h  
Max Reverse speed---0 to 3km/h  
Battery Type---32Ah,4PCS,48V  
Charger---5A,24V  
Front tyre Standard---16"400-8  
Max Loading Capacity---200kgs

Working Time--9 to 10 hours  
Charging time---Around 7 hours  
Dimension--1550x735x720(mm)  
Brake---Electric Magnetic Brake  
Motor Type---DC Motor  
Controller---110A  
Tipping---Gas Spring





■ SD120

Motor---230W,24V,Wheel Hub Motor  
 Net Weight---34KGS/75LB  
 Max Forward speed---0-3.5km/h  
 Max Reverse speed---0-3km/h  
 Battery Type---Lead-acid battery,12Ah  
 Charger---2A,24V  
 Front Tyre Standard---4.00-8  
 Rear Tyre Standard---9inch  
 Max loading capacity---120kgs/115L  
 Working time---6 to 7hours  
 Charging time---6hours  
 Gross Weight---40kgs  
 20' 85pcs  
 40'175pcs



■ SD120A

Motor---230W,24V,Wheel Hub Motor  
 Net Weight---34KGS/75LB  
 Max Forward speed---0-3.5km/h  
 Max Reverse speed---0-3km/h  
 Battery Type---Lead-acid battery,12Ah  
 Charger---2A,24V  
 Front Tyre Standard---4.00-8  
 Rear Tyre Standard---9inch  
 Max loading capacity---120kgs  
 Working time---6 to 7hours  
 Charging time---6hours  
 Gross Weight---40kgs  
 20' 85pcs  
 40'175pcs



■ SFD3-500

Motor---750W,48V,Brush motor  
 Net weight---260kgs/573lb  
 Max Forward speed---0 to 5km/h  
 Max Reverse speed---0 to 3km/h  
 Battery Type---32Ah,4PCS,48V  
 Charger---5A,24V  
 Front tyre Standard---16\*6.5-8  
 Rear Tyre Standard---3.50-4  
 Max Loading Capacity---500kgs  
 Working Time---9 to 10 hours  
 Charging time---Around 7 hours  
 Gross Weight---300kgs  
 20' ---20PCS  
 40'---63PCS  
 Dimension---1370\*890\*880(mm)  
 Brake---Electric Magnetic Brake  
 Motor Type---DC Motor  
 Controller---110A  
 Tipping---Gas Spring



■ SD120

Motor---750W,48V,Brush motor  
 Net weight---230kgs  
 Max Forward speed---0 to 5km/h  
 Max Reverse speed---0 to 3km/h  
 Battery Type---32Ah,4PCS,48V  
 Charger---5A,24V  
 Front tyre Standard---16\*6.50-8  
 Rear Tyre Standard---3.50-4  
 Max Loading Capacity---500L  
 Box Material: Plastic  
 Working Time---9 to 10 hours  
 Charging time---Around 7 hours  
 Gross Weight---300kgs  
 Dimension---1604\*890\*880(mm)  
 20' ---20PCS  
 40'---63PCS  
 Brake---Electric Magnetic Brake  
 Motor Type---DC Motor  
 Controller---110A  
 Tipping---Hydraulic tipping



■ PH150

Body Size:735x475x820mm(LxWxH)  
Wheel:4"  
Capacity:150KGS



■ PH150-1

Body Size:735x475x820mm(LxWxH)  
Wheel:4"  
Capacity:150KGS



■ PH150-2

Body Size:735x475x820mm(LxWxH)  
Wheel:4"  
Capacity:150KGS



■ PH100

Body Size:630x410x800mm(LxWxH)  
Wheel:4"  
Capacity:80KGS



■ PH300

Body Size:916x616x863mm(LxWxH)  
Wheel:5"  
Capacity:300KGS



■ PH300-1

Body Size:916x616x863mm(LxWxH)  
Wheel:5"  
Capacity:300KGS



■ PH152

Body Size:710x456x823mm(LxWxH)  
Wheel:4"  
Capacity:150KGS



■ PH152-2

Body Size:600x400x800mm(LxWxH)  
Wheel:4"  
Capacity:100KGS



■ PH300P

Body Size:916x616x863mm(LxWxH)  
Wheel:5"  
Capacity:300KGS



■ PH032

Body Size:680x400x755mm(LxWxH)  
Wheel:4"  
Capacity:100KGS



■ FR-1

Body Size:610x406x110mm(LxWxH)  
Wheel:3"  
Capacity:50KGS



■ PH033

Body Size:1035x750x380mm(LxWxH)  
Wheel:3"  
Capacity:100KGS



■ PH034

Body Size:1035x570x135mm(LxWxH)  
Wheel:4"  
Capacity:100KGS



■ PH153

Body Size:725/500x415x956/670mm(LxWxH)  
Wheel:4"  
Capacity:100KGS



■ PH1550

Body Size:602x390x755mm(LxWxH)  
Wheel:4"  
Capacity:40KGS



■ PH301

Body Size:915x615x864mm(LxWxH)  
Wheel:250-4  
Capacity:300KGS



■ SC1250

Body Size:838x410x782mm(LxWxH)  
Wheel:5"  
Capacity:100KGS



■ SC5242

Body Size:755x415x875mm(LxWxH)  
Wheel:4"  
Capacity:100KGS



■ SC5342

Body Size:755x415x875mm(LxWxH)  
Wheel:4"  
Capacity:120KGS



■ SC1250A

Body Size:1010x432x845mm(LxWxH)  
Wheel:5"  
Capacity:250KGS



■ SC1350A

Body Size:1143x648x845mm(LxWxH)  
Wheel:5"  
Capacity:250KGS



■ SC1250A-1

Body Size:1010x432x845mm(LxWxH)  
Wheel:5"  
Capacity:250KGS



■ SC1350A-1

Body Size:1143x648x845mm(LxWxH)  
Wheel:5"  
Capacity:250KGS





■ HT1312C

Body Size:1200x1000x715mm(LxWxH)

Wheel:5"

Load Capacity:80KGS



■ HT1312D

Body Size:1090x540x430/750mm(LxWxH)

Wheel:6"x1.5"

Capacity:250KGS



■ HT1557

Body Size:1515x609x315mm(LxWxH)

Wheel:8"x2.5"

Capacity:200KGS



■ HT1312

Body Size:1160x605x780mm(LxWxH)

Wheel:6"x1.5"

Capacity:200KGS



■ HT1312-1

Body Size:1070x520x630mm(LxWxH)

Wheel:6"x1.5"

Capacity:150KGS



■ HT8001

Body Size:1275x515x640(1020)mm(LxWxH)

Wheel:6"x1.5"

Capacity:200KGS



■ HT1101

Body Size:1520x605x277mm(LxWxH)

Wheel:6"x2"

Capacity:200KGS



■ HT2500D

Body Size:1200x605x490mm(LxWxH)

Wheel:6"x1.5"

Capacity:200KGS





■ HT1426-1

Body Size:  
650x470x790(1150)mm(LxWxH)  
Wheel:6"x1.5"  
Capacity:150KGS



■ HT1426

Body Size:  
420x520x790(1150)mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:150KGS



■ HT2502

Body Size:  
1170x495x510mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:200KGS



■ HT2500AC

Body Size:  
1185x500x530mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:200KGS



■ HT2500

Body Size:  
1170x476x510mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:150KGS



■ HT1892M

Body Size:  
1120x570x500mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:200KGS



■ HT1890  
Body Size:  
1235x590x565mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



■ HT1922  
Body Size:  
1270x550x420mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



■ HT1805  
Body Size:  
1300x550x460mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:250KGS



■ HT1815  
Body Size:  
1300x550x460mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



■ HT2402  
Body Size:  
1308x565x590mm(LxWxH)  
Wheel:13"x4"(400-6)  
Capacity:300KGS



■ HT2401  
Body Size:  
1308x565x590mm(LxWxH)  
Wheel:13"x4"(400-6)  
Capacity:350KGS



■ HT1830  
Body Size:  
1180x550x465mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



■ HT1830-1  
Body Size:  
1180x680x550mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



■ HT1830-2  
Body Size:  
1180x550x465mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS





Magnetic

HT1894D

Body Size:  
1090x540x430(750)mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:250KGS



HT1805DD

Body Size:  
1300x650x380(620)mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:300KGS



HT1805DP

Body Size:  
1300x550x460mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:250KGS



HT1896

Body Size:  
1280x550x495mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



HT1896-1

Body Size:  
1280x550x470mm(LxWxH)  
Wheel:10"x4"PU  
Capacity:250KGS



HT1281

Body Size:  
1280x540x470mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:250KGS



HT1850A

Body Size:  
1130x565x720mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



HT1842A

Body Size:  
1275x614x560mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS





■ HT1827  
Body Size:  
1200x510x710mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:150KGS



■ HT2500B-1  
Body Size:  
1115x535x550mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:150KGS



■ HT2500C-1  
Body Size:  
1090x510x540mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:150KGS



■ HT1827AN  
Body Size:  
1115x520x470(480)mm(LxWxH)  
Wheel:3.00-4(260x85)  
Capacity:180KGS

■ HT1894D-1  
Body Size:  
1180x570x450(770)mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:250KGS



Industry Hammer  
Tone Painting



■ HT1866  
Body Size:  
1200x580x460mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



■ HT2500AC-1  
Body Size:  
1400x500x530mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



■ HT2500AC-2  
Body Size:  
1185x500x530mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



■ HT1892M-1  
Body Size:  
1200x590x470mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



HT2009

Body Size:  
1695x565x455mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:200KGS



HT1561

Body Size:  
1000x456x362mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:80KGS



HT028

Body Size:  
570x520x730(1070)mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:80KGS

HT028-1



HT028-1

Body Size:  
1210x343x1245mm(LxWxH)  
Capacity:150KGS



HT028-2

Body Size:  
570x520x730(1070)mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:80KGS




HT028-3

Body Size:  
560x445x700(1005)mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:80KGS


HT028-4

Body Size:  
2200x300x1050mm(LxWxH)  
Capacity:80KGS



HT028-3

Body Size:  
900x600x200mm(LxWxH)  
Capacity:80KGS





**HT1849**  
Body Size:  
1120x522x460mm(LxWxH)  
Wheel:10"x3.5"  
Capacity:180KGS



**HT1560**  
Body Size:  
1000x460x355mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:80KGS



**HT1510**  
Body Size:  
1300x438x365mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:120KGS



**HT1103**  
Body Size:  
1190x640x440mm(LxWxH)  
Wheel:8"x1.25"  
Capacity:40KGS



**HT1503**  
Body Size:  
1200x415x330mm(LxWxH)  
Wheel:7.5"x1.2"  
Capacity:50KGS



**HT1883G**  
Body Size:  
1148x500x570mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:150KGS



**HT1823**  
Body Size:  
1275x614x560mm(LxWxH)  
Wheel:350-4(10"x3.5)  
Capacity:250KGS



**HT1827**  
Body Size:  
1220x650x550mm(LxWxH)  
Wheel:350-4(10"x3.5)  
Capacity:250KGS



**HT1894**  
Body Size:  
1100x520x500mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:300KGS



### 货仓车/HAND TROLLEY

#### HT1595

Body Size:  
1290x470x450mm(LxWxH)  
Wheel:8"x2"  
Capacity:300KGS



#### FWB80

Body Size:  
280x390x640/900/1000mm(LxWxH)  
Wheel:5"  
Capacity:80KGS



#### HT1422AL

Body Size:  
1035x415x506mm(LxWxH)  
Wheel:250-4  
Capacity:60KGS



#### HT1878

Body Size:  
1180x525x500mm(LxWxH)  
Wheel:3.00-4(260x85)  
Capacity:150KGS



#### HT1878-1

Body Size:  
1250x430x530mm(LxWxH)  
Wheel:3.00-4(260x85)  
Capacity:150KGS



#### HT1878-2

Body Size:  
1200x605x490mm(LxWxH)  
Wheel:3.00-4(260x85)  
Capacity:150KGS



#### HT1105

Body Size:  
1110x400x408mm(LxWxH)  
Wheel:6"x1.5"  
Capacity:90KGS



#### HT1888

Body Size:  
1310x470x690mm(LxWxH)  
Wheel:4.10/3.50-4  
Capacity:150KGS



#### HT2500AC-3







青岛立高金属制品有限公司

QINGDAO LEAGLE INDUSTRY CO.,LTD.




货仓车/HAND TROLLEY




■ HT11

Body Size:  
745x760x1600mm(LxWxH)  
Wheel:10"x3.5(350-4)  
Capacity:200KGS



■ HT13

Body Size:L 813-1219mm  
Capacity:136KGS



■ HT12

Body Size:L 1220mm  
Capacity:170KGS



TC0731

Load (kg) : 40  
Caster: 10"x3.50-4  
Body Size(LxWxH): 810x445x540



TC0732

Load (kg) : 80  
Caster: 10"x3.50-4  
Body Size(LxWxH): 810x445x540



TC0733

Load (kg) : 80  
Caster: 10"x3.50-4  
Body Size(LxWxH): 810x445x540



LG001

Load (kg) : 150  
Caster: 8"x2"  
Body Size(LxWxH): 105x430x450



LG002

Load (kg) : 150  
Caster: 8"x2"  
Body Size(LxWxH): 1250x680x750



LG003

Load (kg) : 150  
Caster: 8"x2"  
Body Size(LxWxH): 1200x730x800



LG004


Load (kg) : 100  
Caster: 8"x2"  
Body Size(LxWxH): 1170x620x730



LG005

Load (kg) : 100  
Caster: 8"x2"  
Body Size(LxWxH): 1230x440x550





TC0500

Body Size:  
760x460x140mm(LxWxH)  
Wheel:3"  
Capacity:300KGS




TC0503

Body Size:  
610x410x140mm(LxWxH)  
Wheel:3"  
Capacity:300KGS



TC0502

Body Size:  
600x300x130mm(LxWxH)  
Wheel:4"  
Capacity:200KGS



TC0500-1

Body Size:760x460x140mm(LxWxH)  
Wheel:3"  
Capacity:450KGS



TC0502-II

Body Size:  
600x300x115mm(LxWxH)  
Wheel:3"  
Capacity:150KGS



TC0519

Body Size:  
900x600x135mm(LxWxH)  
Wheel:3"  
Capacity:150KGS




TC0535

Body Size:  
600x450x135mm(LxWxH)  
Wheel:3"  
Capacity:150KGS



TC0529

Body Size:  
Φ485x117mm(LxWxH)  
Wheel:3"  
Capacity:80KGS



TC0518-II

Body Size:  
Φ360x85mm(LxWxH)  
Wheel:1.5"  
Capacity:50KGS



TC0518

Body Size:  
360x360x87mm(LxWxH)  
Wheel:1.5"  
Capacity:50KGS



TC0536

Body Size:  
450x300x135mm(LxWxH)  
Wheel:3"  
Capacity:150KGS



TC3080PL

Body Size:1500x935x765mm(LxWxH)  
Wheel:16"x4"(400-8)  
Capacity:300KGS



TC3038P

Body Size:1230x770x625mm(LxWxH)  
Wheel:14"x4"(350-8)  
Capacity:200KGS



TC3080

Body Size:1500x835x745mm(LxWxH)  
Wheel:14"x4"(350-8)  
Capacity:200KGS



TC3083

Load Capacity:400KG  
Wheel:16"x8-7 tubeless  
Body Size:  
L1500xW835xH745mm



TC3180

Load Capacity:400KG  
Wheel:16"x6.50-8 Air  
Body Size:  
L1500xW780xH300mm



TC3002

Body Size:1360x720x520mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:250KGS



TC3004

Body Size:158x910x673mm(LxWxH)  
Wheel:16"x2.125"  
Capacity:80KGS



TC3004-1

Body Size:1400x540x570mm(LxWxH)  
Open Tray Size:520x350x270mm(LxWxH)  
Folding Tray Size:520x350x60mm(LxWxH)  
Wheel:16"x1.75"  
Capacity:50KGS



★ Only 5 Bolted Strong Construction for Easy Assembly and High Quality Guarantee.



TC1840

Body Size:1290x670x520/1030mm(LxWxH)  
Wheel:13X500-6  
Capacity:350KGS



TC1840AS-1

Body Size:910x550x550/1010mm(LxWxH)  
Wheel:10X300-4  
Capacity:200KGS



TC1840A

Body Size:1020x500x570/1015mm(LxWxH)  
Wheel:10X350-4  
Capacity:250KGS




TC1840A-1

Body Size:1020x500x570/1015mm(LxWxH)  
Wheel:10X350-4  
Capacity:250KGS



TC1840AH

Body Size:1020x520x730/1050mm(LxWxH)  
Wheel:10X350-4  
Capacity:250KGS



TC1840AS

Body Size:950x490x535/860mm(LxWxH)  
Wheel:10X300-4  
Capacity:200KGS



TC1840-1

Body Size:1280x610x650/1030mm(LxWxH)  
Wheel:13X500-6  
Capacity:350KGS



TC1840H-1

Body Size:1170x570x870/1040mm(LxWxH)  
Wheel:13X500-6  
Capacity:350KGS



TC1840NDP

Tray Size: 112x61x27cm  
Body Size: 131x61x102cm  
Wheel:13x500-6  
Capacity: 250 kg



TC1840ND

Dump Garden Cart  
Body size: 131x61x102cm  
Tray size: 112x61x27cm  
Wheel: 13x500-6  
Capacity: 250 kg



TC2135-1 Dump Cart 225L

Load capacity 450 kgs  
Tipping facility  
Push Pulla and Tows  
Polycarbonate hopper  
Hopper dimensions:  
L1260xW840xD330mm  
Wheel:13x500-6



TC2135 Dump Cart 125L

Load capacity 400kgs  
Tipping facility  
Push Pulla and Tows  
Polycarbonate hopper  
Hopper dimensions:  
L106xW59xD28.5cm  
Wheel:13x5.00-6



TC2145 Dump Cart 75L

Load capacity 250kgs  
Tipping facility  
Push Pulla and Tows  
Polycarbonate hopper  
Hopper dimensions:  
L94xW51xD21cm  
Wheel:10"x3.5"(3.50-4)



TC2145S  
Dump Cart 50L

Load capacity 200kgs  
Tipping facility  
Push Pulla and Tows  
Polycarbonate hopper  
Hopper dimensions:  
L88xW47xD19cm  
Wheel:10x3.5(350-4)



**TC1840F**  
Body Size:1865x520x570mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:200KGS



**TC1858**  
Body Size:1315x765x1090mm(LxWxH)  
Wheel:13X500-6  
Capacity:300KGS



**TI025**  
Diameter 30cm  
Working width:60.5cm



**TI027**  
Diameter 30cm  
Working width:50cm



**TI026**  
Diameter 30cm  
Working width:60.5cm



**TI029**  
Diameter 35cm  
Working width:50cm



**LG004**  
Size:455x595  
QTY:8640 PCS /40'GP



**LG005**  
Size:450x570  
QTY:8700 PCS /40'GP



■ TC50A

Body Size:  
860x395x310mm(LxWxH)  
Wheel:6"x2"



■ TC100

Body Size:  
990x660x450mm(LxWxH)  
Wheel:10"x3.5" (350-4)



■ TC80A

Body Size:  
915x450x375mm(LxWxH)  
Wheel:6"x2"



■ TC50L

Body Size:  
500x310x255mm(LxWxH)



■ TC1507A

Body Size:  
1070x589x965mm(LxWxH)  
Wheel:8"x1.75"



■ TC1850

Body Size:  
940x570x1040mm(LxWxH)  
Wheel:10"x3.50-4



■ TC1507A

Body Size:465x265x500mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:150KGS



■ TC1852-1

Body Size:940x445x540mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:150KGS





TC2411

Body Size:1120x735x740mm(LxWxH)  
Wheel:13x5.00-6  
Capacity:25KGS



TC2420

Body Size:1170x690x925mm(LxWxH)  
Wheel:13x500-6  
Capacity:20KGS



TC2415

Body Size:  
1050x760x770mm(LxWxH)  
Wheel:8"x1.75"  
Capacity:25KGS



TC2416

Body Size:1000x485x690mm(LxWxH)  
Wheel:9"x2.3"  
Capacity:25KGS



TC2417

Body Size:  
1070x550x720mm(LxWxH)  
Wheel:8"x1.6"  
Capacity:5KGS



TC2418

Body Size:  
508x500x850mm(LxWxH)  
Capacity:50L



TC0902

Body Size:1350x565x1905mm(LxWxH)  
Wheel:5"x2"  
Capacity:460KGS



TC0902A

Body Size:1350x565x1600mm(LxWxH)  
Wheel:5"x2"  
Capacity:460KGS



TC2003S

Body Size:787x210x847mm(LxWxH)  
Wheel:250-4  
Capacity:100KGS



TC2003

Body Size:685x385x860mm(LxWxH)  
Wheel:10"x3.5"(3.50-4)  
Capacity:100KGS



TC2003C

Body Size:678x385x870mm(LxWxH)  
Wheel:8"x1.5"  
Capacity:100KGS



TC2401

Body Size:1100x465x440mm(LxWxH)  
Wheel:13"x3"(300-8)  
Capacity:150KGS



TC2402

Body Size:1270x765x710mm(LxWxH)  
Wheel:13"x3"(300-8)  
Capacity:120KGS



TC2403

Body Size:1690x724x684mm(LxWxH)  
Wheel:13"x3"(300-8)  
Capacity:120KGS



TC1128-1

Body Size:800x600x1700mm(LxWxH)  
Wheel:6"  
Capacity:200KGS



TC1128

Body Size:800x600x1700mm(LxWxH)  
Wheel:6"  
Capacity:200KGS



TC1701

Body Size:850x650x1700mm(LxWxH)  
Wheel:6"  
Capacity:600KGS



TC1130

Body Size:850x650x1500mm(LxWxH)  
Wheel:6"  
Capacity:600KGS



TC0580

Body Size:435x250x83mm(LxWxH)  
Wheel:2"  
Capacity:20KGS





TC1832

Body Size:965x508x960mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:150KGS



TC1833

Body Size:914x406x960mm(LxWxH)  
Wheel:350-4(10"x3.5")  
Capacity:150KGS



TC1834

**KIT OF 4 SLEIGH RUNNERS - PLASTIC**  
CONVERT YOUR WAGON TO A SLEIGH



TC1835

One dolly measures 7" x 7"  
Two dollies measure 10" x 7" each  
Each dolly has four 2-1/2" swuvek casters  
Capacity:680KGS

**SNOWMOBILE VEHICLE DOLLIES SET OF 3**



TC1812P

Body Size:1670x825x820mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:120KGS



TC1812M

Body Size:935x600x570mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:80KGS



TC1812M-1

Body Size:920x610x950mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:80KGS



TC1808M

Body Size:925x630x630mm(LxWxH)  
Wheel:300-4(260x85)  
Capacity:120KGS



■ TC1800

Body Size:995x495x865mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:150KGS




■ TC1801

Body Size:985x470x830mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:150KGS



■ TC2500

Body Size:1160x710x990mm(LxWxH)  
Wheel:13"x4"(400-6)  
Capacity:180KGS



■ TC1803-1

Body Size:900x550x445mm(LxWxH)  
Wheel:10"x3.5"(350-4)  
Capacity:40KGS



■ TC1803

Body Size:850x570x700mm(LxWxH)  
Wheel:10"x3.5"/13"x3"  
Capacity:100KGS





### Economic & Easier Assembly Model.



EN12227: 1210

**PUSH BUTTON  
SAFETY CLICK LOCK**



**MF002**

Total open length 300 cm  
Height 75 cm  
5 elements which are moveable.  
Packing: 1pc/ctn,  
ctn size: 78x73x9.5CM




### Multi-Fence

EN12227: 1210

**PUSH BUTTON  
SAFETY CLICK LOCK**



**MF001**  
Total open length 300 cm  
Height 75 cm  
5 elements which are moveable.  
Packing: 1pc/ctn,  
ctn size: 80x67x13CM



EN12227: 1210

**MF003**  
Fully adjustable to fit openings  
28" to 48" (71.1cm to 121.9cm)  
Tall: 36" (91.4cm)  
Packing: 1pc/ctn,  
ctn size: 92.5x71.5x35cm





TC1001

TRAY:740x390x290MM  
OPEN SIZE:740x390x550/845MM  
Wheel:5"  
Load Capacity:60KGS



★ Body size can be made at options.



TC1001-1

TRAY:940x500x400MM  
OPEN SIZE:1070x500x1100 MM  
Wheel:7"  
Load Capacity:80KGS



PLASTIC NEW CONSTRUCTION,EASY FOLDING





Telescopic Handle



■ TC1002  
TRAY:770x490x270MM  
OPEN SIZE:770x490x680/890MM  
Wheel:300-4(260x85)  
Load Capacity:80KGS

Alternative Pneumatic wheel & PU-foam wheel.

Telescopic Handle



■ TC1002  
TRAY:770x490x270MM  
OPEN SIZE:770x490x680/890MM  
Wheel:300-4(260x85)  
Load Capacity:80KGS

Telescopic Handle



Brake for safety

■ TC1003  
TRAY:785x480x280MM  
OPEN SIZE:785x480x570/770MM  
Wheel:8x1.75Solid  
Load Capacity:80KGS

Straight Handle



■ TC1005  
TRAY:750x480x270MM  
OPEN SIZE:870x595x590/1150MM  
WHEEL:8"Wide PU  
Load Capacity:80KGS

Telescopic Handle



■ TC1006  
TRAY:750x480x270MM  
OPEN SIZE:870x595x590/1035MM  
WHEEL:8"Wide PU  
Load Capacity:80KGS

Telescopic Handle



■ TC1004  
TRAY:785x480x280MM  
OPEN SIZE:785x480x570/770MM  
Wheel:8x1.75Solid  
Load Capacity:80KGS





■ FWB-008

Open Size:  
1050x550x670mm(LxWxH)  
Tray size:  
890x490x190mm  
Wheel:8"x1.75"solid tyre  
(2pcs swivel+2pcs fixed)  
Load Capa:80KGS

Straight Handle



■ FWB-009

Open Size:  
1050x550x670mm(LxWxH)  
Tray size:  
890x490x190mm  
Wheel:8"x1.75"solid tyre  
(2pcs swivel+2pcs fixed)  
Load Capa:80KGS

■ FWB-009-1

Open Size:  
1050x550x670mm(LxWxH)  
Tray size:  
890x490x190mm  
Wheel:8"x1.75"solid tyre  
(2pcs swivel+2pcs fixed)  
Load Capa:80KGS




■ TC4108

Load Capacity(kg):100  
Wheel:10"x3.00-4Air  
Body Size:710x355x150mm  
QTY:1700PCS/40'GP



■ TC4117

Load Capacity(kg):80  
Wheel:10"x3.00-4Air  
Body Size:710x355x150mm  
QTY:1700PCS/40'GP



T20B

Body Size:

1200x600x900mm(LxWxH)

Capacity:175KGS/shelf





■ T20A

Body Size:  
1800x900x450mm(LxWxH)  
Capacity:265KGS/shelf



■ T20A-1

Body Size:  
1800x900x400mm(LxWxH)  
Capacity:175KGS/shelf



■ SU160

Body Size:  
2200x1200x450mm(LxWxH)  
Capacity:350KGS/shelf



W/Drawer

■ T20D

Body Size:  
1800x900x450mm(LxWxH)  
Capacity:265KGS/shelf



T20A-2

Body Size:  
1800x1200x550mm(LxWxH)  
Capacity:265KGS/shelf



T20A-3

Body Size:  
1800x900x550mm(LxWxH)  
Capacity:265KGS/shelf



SU100

Body Size:  
1500x700x300mm(LxWxH)  
Capacity:65KGS/shelf



T40A

Body Size:1720x900x400mm(LxWxH)  
Capacity:175KGS/shelf

POWER COATING


T30A-2 Bolted Rack Shelf  
Fully Metal Shelf

Body Size:1500x750x300mm(LxWxH)  
Capacity:50KGS



T30A Boltless Rack Shelf  
Fully Metal Shelf

Body Size:1500x750x300mm(LxWxH)  
Capacity:50KGS



T30A-1 Bolted Rack Shelf  
Fully Metal Shelf

Body Size:1500x750x300mm(LxWxH)  
Capacity:50KGS



T20A-4

Body Size:  
1800x900x400mm(LxWxH)  
Capacity:175KGS/shelf



SU150-4

Body Size:  
1800x900x400mm(LxWxH)  
Capacity:175KGS/shelf



SU150-1

Body Size:  
450x900x900x450x635x1800mm(LxWxH)  
Capacity:265KGS/shelf



SU150-2

Body Size:  
450x900x900x450x635x1800mm(LxWxH)  
Capacity:265KGS/shelf



SU150-3

Body Size:  
1800x900x400mm(LxWxH)  
Capacity:175KGS/shelf



SU150-5

Body Size:  
1200x600x900mm(LxWxH)  
Capacity:175KGS/shelf

SU150-6

Name:workbench with drawer  
Measurement: 119 x 59 x 149cm  
Back of Workbench: 119x 60 cm  
Working Surface: 119 x 59 cm  
Upper Storage Tray: 119 x 22cm  
Drawer: 112 x 44.5 x 6.26 cm  
Max load 230kg: 100kg per shelf  
20kg-pegboard, 10kg-drawer.  
Package includes:  
All parts of workbench  
1\*Instruction book  
12\*hooks(to hang the tools on the pegboard)  
Please note that tools and toolboxes are not included.






### T-001

#### Specification : Ramp

Maximum capacity 400 kg, or 200 kg per ramp.  
Made of high-strength steel, galvanized anti-rust.  
Stable, non-slip designs, small footprint.  
Equipped with a stabilizer plate.  
Length 160 cm  
Width 22.5 cm



### T-002

#### Folding galvanized set of 2 ramp

Maximum capacity 400 kg, or 200 kg per ramp.  
Made of high-strength steel, galvanized anti-rust.  
Stable, non-slip designs, small footprint.  
Equipped with a stabilizer plate.  
Open/Folding Length: 160cm/80cm  
Width 22.5 cm



CT-008

Measurement:146X54x54cm



CT-007

Measurement:146X54X54cm



CT-006

Measurement:131X52X79cm



CT-009  
120x700cm



CT-010  
800x800cm



CT-011  
46x30.5x36cm



CT-014  
63.5x43.2x50.8cm



CT-019  
109x71x79cm






**T10**  
L:1960xW740xH1940  
Solid wheel:6"  
① □30X151.2mm  
②③ Φ50x1.6mm  
④ 80x50x2mm



**Click-Up-Connection**



**Tube-in-Tube Construction**



**T10-1**  
L:1960xW740xH1940  
Solid wheel:6"  
① □30X151.2mm  
②③ Φ50x1.6mm  
④ 80x50x2mm



**T10-2**  
L:1960xW740xH1940



T898

Body Size:627x(1430-3738)mm(LxWxH)  
Capacity:150KGS



T899

Max Length In Single Ladder:423cm  
Max Length In Step Ladder:295cm  
Weigh:10.2kg  
Loading Capacity(Max):150kg



AL305



AL303

Load Rating

200lb 91kg

Do Not Use Around Electricity

Item	NO. of step	Open height(mm)	Closed length(mm)	Weight(kg)	Container quantity	
					20ft	40ft
AL303	3	1167	1272	3.2	430	867
AL304	4	1438	1575	4.0	335	671
AL305	5	1734	1875	4.7	281	562
AL307	7	2307	2485	6.8	196	392



T701

Load Capacity (kg):68kg  
Raised Height:3.25m



T702

Body Size:1470x620x1665mm(LxWxH)  
Capacity:250KGS



**PFGH105**



TYPE IA

Load Rating

300lb 136kg

For Use Around Electricity

**EN131**



**EFG205**



Load Rating

330lb 150kg

For Use Around Electricity

Item	Ladder size	NO. of step	Open height (mm)	Closed length (mm)	Weight(kg)	Container quantity	
						20ft	40ft
PFGH102	4'	2	1150	1250	7.55	280	560
PFGH104	6'	4	1730	1860	10.71	210	420
PFGH105	7'	5	2020	2165	12.47	165	332
PFGH106	8'	6	2310	2470	14.15	160	330
PFGH108	10'	8	2890	3080	17.87	100	200

Item	NO. of step	Open height(mm)	Closed length(mm)	Weight(kg)	Container quantity	
					20ft	40ft
EFG203	3	1060	1170	5.6	400	800
EFG204	4	1330	1460	6.8	320	640
EFG205	5	1600	1750	7.9	260	560
EFG206	6	2150	2040	9.3	200	420
EFG207	7	2420	2330	10.6	140	300



**FGD8105**

NEW!



Load Rating

250lb 113kg

For Use Around Electricity



**FGD7205**

NEW!



Load Rating

225lb 102kg

For Use Around Electricity

Item	NO. of step	Open height(mm)	Closed length(mm)	Weight(kg)	Container quantity	
					20ft	40ft
FGD8104	4	1435	1535	8.9	245	520
FGD8105	5	1725	1835	10.6	210	450
FGD8106	6	2015	2135	12.8	170	345
FGD8107	7	2305	2435	15.4	120	280

Item	NO. of step	Open height(mm)	Closed length(mm)	Weight(kg)	Container quantity	
					20ft	40ft
FGD7204	4	1450	1540	8.3	245	520
FGD7205	5	1745	1840	9.8	210	450
FGD7206	6	2040	2140	11.5	170	345
FGD7207	7	2335	2440	13.8	120	280



**T11**  
Body Size:500x500mm(LxH)



**T12**  
Body Size:600x1100mm(LxH)



**T592**  
Body Size:730x500x1170mm(LxWxH)  
730x500x1470mm(LxWxH)



**T13**  
Body Size:700x1100mm(LxH)  
800x1100mm(LxH)  
1000x1100mm(LxH)



**T14**  
Body Size:1230x1100mm(LxH)  
1350x1100mm(LxH)  
1500x1100mm(LxH)  
1750x1100mm(LxH)



**T591**  
Body Size:730x500x770mm(LxWxH)  
730x500x970mm(LxWxH)



**T55**  
Body Size:680x540x(815-1315)mm(LxH)



T106

T106A

T106B

T106C

T106

Body Size:1170x917x120mm(LxWxH)

T106A

Body Size:1810x800x110mm(LxWxH)

T106B

Body Size:1810x600x110mm(LxWxH)

T106C

Body Size:1810x775x175mm(LxWxH)



T59

Body Size:980x340x610mm(LxWxH)



T593

Body Size:980x420x780mm(LxWxH)

T56

Body Size:1040x485x777mm(LxWxH)

T59-1

Body Size:910x540x850mm(LxWxH)





■ TWB004

Body Size:1520x500x830mm(LxWxH)  
Own Weight:39.00kg



■ TWB006

Body Size:1060x610x700mm(LxWxH)  
Own Weight:23.00kg



■ TWB009

Body Size:1230x770x1200mm(LxWxH)  
Own Weight:46.00kg



■ TWB019

Body Size:1000x500x1000mm(LxWxH)  
Own Weight:32.00kg



■ T75

Body Size:1800x670x720mm(LxWxH)  
Own Weight:14.00kg



■ T76

Body Size:1650x610x850mm(LxWxH)  
Own Weight:21.00kg



■ T77

Table:2200x550x750mm(LxWxH)  
2200x600x750mm(LxWxH)  
2200x700x750mm(LxWxH)  
2200x800x750mm(LxWxH)  
Bench:2200x250x480mm(LxWxH)



TI-102  
Body Size:415x315x266mm



TI-102-1  
Body Size:415x315x266mm



TI-100  
Body Size:Φ220x295mm



TI-101  
Body Size:Φ300x200mm



TI-103  
Body Size:700x450x200mm



TI-103-1  
Body Size:700x220x200mm



MT-101  
Body Size:900x900x95mm




MT-102  
Body Size:600x600x95mm



MT-103  
Body Size:250x250x95mm



MT005  
Body Size:370x370x20mm



MT007  
Body Size:350x350x20mm



**LG-100A**

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
LG-100A	780±5	480±2	520±2	100

COLOR ■ ■ ■ ■ ■

**LG-120A**

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
LG-120	930±5	490±2	550±2	120

COLOR ■ ■ ■ ■ ■ ■

**LG-240C**

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
LG-240C	1080±5	595±2	760±2	240

COLOR ■ ■ ■ ■ ■ ■

**LG-360A**

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
LG-360C	1100±5	700±2	850±3	360

COLOR ■ ■ ■ ■ ■ ■

**LG-660**

TYPE	A(mm)	B(mm)	C(mm)	CUBAGE(liter)
LG-660	1180±5	1360±5	770±3	660

COLOR ■ ■ ■ ■

**LG-1100**

TYPE	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	CUBAGE(liter)
LG-1100	1370	1060	1120	1200	1000	200	1100	1100

COLOR ■ ■ ■ ■

可拆式把手设计

加大式挂车把手并内置钢管





■ PR1200  
Dimension:260x85  
Hub Length:75mm  
Bearing:Φ16



■ PR1401  
Dimension:8"(250-4)  
Hub Length:38mm  
Bearing:Φ16



■ PR1402  
Dimension:8"(200-4)  
Hub Length:60mm  
Bearing:Φ20



■ PR1403  
Dimension:8"(250-4)  
Hub Length:38mm  
Bearing:Φ16



■ PR1404  
Dimension:8"(250-4)  
Hub Length:56mm  
Bearing:Φ16



■ PR1800  
Dimension:10x3.5(350-4)  
Hub Length:55mm  
Bearing:Φ16



■ PR1800-1  
Dimension:10x3.5(350-4)  
Hub Length:55mm  
Bearing:Φ16



■ PR1800-2  
Dimension:10x3.5(350-4)  
Hub Length:55mm  
Bearing:Φ16



■ PR1800-3  
Dimension:10x3.5(350-4)  
Hub Length:55mm  
Bearing:Φ16



■ PR1800-4  
Dimension:10x3.5(350-4)  
Hub Length:55mm  
Bearing:Φ16



■ PR1805  
Dimension:300-4(260x85)  
Hub Length:70mm  
Bearing:Φ20



■ PR1805-1  
Dimension:300-4(260x85)  
Hub Length:70mm  
Bearing:Φ20



■ PR1805-2  
Dimension:300-4(260x85)  
Hub Length:75mm  
Bearing:Φ25



■ PR1805-3  
Dimension:300-4(260x85)  
Hub Length:75mm  
Bearing:Φ20



**PR1805-4**  
Dimension:300-4(260x85)  
Hub Length:75mm  
Bearing:Φ20



**PR1806**  
Dimension:10"x3.5"(350-4)  
Hub Length:56mm  
Bearing:Φ16



**PR1807**  
Dimension:350-5  
Hub Length:95mm  
Bearing:Φ19



**PR1808**  
Dimension:10x3.5(350-4)  
Hub Length:56mm  
Bearing:Φ16



**PR1809**  
Dimension:14x3.5(350-7)  
Hub Length:70mm  
Bearing:Φ20



**PR1809-1**  
Dimension:13x4(350-6)  
Hub Length:150mm  
Bearing:Φ20



**PR1809-2**  
Dimension:13x4(350-6)  
Axle:550mm  
Bearing:Φ20



**PR1809-3**  
Dimension:13x4(410/350-6)  
Hub Length:70mm  
Bearing:Φ16



**PR2604**  
Dimension:13x4(400-6)  
Hub Length:80mm  
Bearing:Φ19



**PR2401-1**  
Dimension:13x3(300-8)  
Hub Length:98mm  
Bearing:Φ16



**PR2602**  
Dimension:14"x4"(350-8)  
Hub Length:88mm  
Bearing:Φ16



**PR2601**  
Dimension:14"x4"(350-8)  
Hub Length:80mm  
Bearing:Φ16



**PR2603-1**  
Dimension:14"x4"(350-8)  
Hub Length:75mm  
Bearing:Φ16



**PR2604**  
Dimension:14"x4"(350-8)  
Hub Length:90mm  
Bearing:Φ16



**PR3508**  
Dimension:14"x4"(350-8)  
Hub Length:150mm  
Bearing:Φ14



**PR3508A**  
Dimension:14"x4"(350-8)  
Hub Length:150mm  
Bearing:Φ14



■ PR3000  
Dimension:16"x4"(400-8)  
Hub Length:70mm  
Bearing:Φ16



■ PR2613  
Dimension:16"x4"(400-8)  
Hub Length:160mm  
Bearing:Φ16



■ PR2614  
Dimension:16"x4"(400-8)  
Hub Length:160mm  
Bearing:Φ14



■ PR3001  
Dimension:16"x4"(400-8)  
Hub Length:78mm  
Bearing:Φ16



■ PR3003  
Dimension:16"x4"(400-8)  
Hub Length:75mm  
Bearing:Φ20



■ PR3003-1  
Dimension:16"x4"(400-8)  
Hub Length:75mm  
Bearing:Φ16



■ PR3004  
Dimension:16"x4"(400-8)  
Hub Length:75mm  
Bearing:Φ20



■ PR3006  
Dimension:16"x4"(400-8)  
Hub Length:150mm  
Bearing:Φ20



■ PR3006-1  
Dimension:13"x4"(350-6)  
Axle:250mm  
Bearing:Φ20



■ PR3011  
Dimension:16"x4"(400-8)  
Hub Length:125mm  
Bearing:Φ16



■ PR3011-1  
Dimension:16"x4"(400-8)  
Hub Length:125mm  
Bearing:Φ16



■ PR1819  
Dimension:13x500-6  
Hub Length:85mm  
Bearing:Φ16



■ PR1819-1  
Dimension:13x500-6  
Hub Length:85mm  
Bearing:Φ16



■ PR1819-2  
Dimension:13x500-6  
Hub Length:85mm  
Bearing:Φ16



■ PR1819-3  
Dimension:13x500-6  
Hub Length:85mm  
Bearing:Φ16



■ PR1819-4  
Dimension:13x500-6  
Hub Length:100mm  
Bearing:Φ20



■ PR1820  
Dimension:13x600-6  
Hub Length:100mm  
Bearing:Φ16



■ PR3008  
Dimension:16x650-8  
Hub Length:75mm  
Bearing:Φ20



■ PR3009  
Dimension:16x650-8  
Hub Length:85mm  
Bearing:Φ25.4



■ PR3010  
Dimension:16x650-8  
Hub Length:85mm  
Bearing:Φ25.4



■ PR3015  
Dimension:15x600-6  
Hub Length:85mm  
Bearing:Φ25.4



■ PR3015-1  
Dimension:16x600-6  
Hub Length:80mm  
Bearing:Φ16



■ PR3016  
Dimension:15x650-6  
Hub Length:85mm  
Bearing:Φ16



■ PR3017  
Dimension:16x600-6  
Hub Length:85mm  
Bearing:Φ16

**Tubeless Tire**

**Tubeless Tire**

**Tubeless Tire**

**Tubeless Tire**



16x8-7



19x7-8



18x9.5-8



14.5/70-6



■ FF1805PU  
Dimension:300-4PU(260X85)  
Hub Length:70mm  
Bearing:Φ20



■ FF1805-1PU  
Dimension:300-4PU(260X85)  
Hub Length:70mm  
Bearing:Φ20



■ FF1901PU  
Dimension:10"X3.5"(350-4)  
Hub Length:56mm  
Bearing:Φ16



■ FF1901-1PU  
Dimension:10"X3.5"(350-4)  
Hub Length:56mm  
Bearing:Φ16



■ FF1901-2PU  
Dimension:10"X3.5"(350-4)  
Hub Length:80mm  
Bearing:Φ20



■ FF1081PU  
Dimension:13"X4"(350-6)  
Hub Length:102mm  
Bearing:Φ14



■ FF1082PU  
Dimension:13"X4"(400-6PU)  
Hub Length:100mm  
Bearing:Φ16



■ FF1083PU  
Dimension:14"X4"(350-8)  
Hub Length:75mm  
Bearing:Φ20



■ FF1087PU  
Dimension:14"X4"(350-8)  
Hub Length:150mm  
Bearing:Φ14



■ FF1088PU  
Dimension:14"X4"(350-8)  
Hub Length:86mm  
Bearing:Φ14



■ FF1049PU  
Dimension:13"X3"(300-8)  
Hub Length:98mm  
Bearing:Φ16



■ FF1050PU  
Dimension:13"X3"(325/300-8)  
Hub Length:98mm  
Bearing:Φ16



■ FF1051PU  
Dimension:13"X3"(300-8PU)  
Hub Length:85mm  
Bearing:Φ16



■ FF1052PU  
Dimension:13"X3"(300-8PU)  
Hub Length:80mm  
Bearing:Φ16



■ FF2103PU  
Dimension:400-10  
Hub Length:151mm  
Bearing:Φ16



■ FF1050PU  
Dimension:16"X4"(400-8)  
Hub Length:151mm  
Bearing:Φ16



■ FF2106PU  
Dimension:16"X4"(400-8PU)  
Hub Length:151mm  
Bearing:Φ16



■ FF2107PU  
Dimension:16"X4"(400-8)  
Hub Length:95mm  
Bearing:Φ16



■ FF2108PU  
Dimension:16"X4"(400-8)  
Hub Length:100mm  
Bearing:Φ16



■ FF2109PU  
Dimension:16"X4"(400-8)  
Hub Length:125mm  
Bearing:Φ16



**SR1502**  
Dimension:8"x1.75"  
Hub Length:36mm  
Bearing:Φ12.7



**EW1504**  
Dimension:8"x2"  
Hub Length:54mm  
Bearing:Φ12.8



**SR1303**  
Dimension:8"x1.75"  
Hub Length:36mm  
Bearing:Φ12.7



**EW1300**  
Dimension:8"x2"  
Hub Length:44mm  
Bearing:Φ16



**SR1503**  
Dimension:8"x1.75"  
Hub Length:36mm  
Bearing:Φ12.7



**EW1904**  
Dimension:10"x2.75"  
Hub Length:44mm  
Bearing:Φ16



**EW1310**  
Dimension:7"x2.5"  
Hub Length:98mm  
Bearing:Φ12



**SR1512**  
Dimension:8"x2.2"  
Hub Length:57mm  
Bearing:Φ16



**SR1901**  
Dimension:10"x2.5"  
Hub Length:57mm  
Bearing:Φ16



**SR1904**  
Dimension:10"x1.75"  
Hub Length:42mm  
Bearing:Φ16



**SR2701**  
Dimension:14"x3.5"  
Hub Length:258mm  
Bearing:Φ20



**EW1501**  
Dimension:8"x1.75"  
Hub Length:50mm  
Bearing:Φ16



**SR1107**  
Dimension:5.5"x1"  
Hub Length:29mm  
Bearing:Φ12.5



**SR2500**  
Dimension:13"x3"  
Hub Length:76mm  
Bearing:Φ16



250-4



350-4



350-6 350-8 400-8  
400-10 500-10 500-12



300-4 400-4



280/250-4



410/350-4



410/350-4



410/350-4



400-8



480/400-8



350-8 350-6  
400-6



350x8



350x8



350-8 400-8



350-8 400-8



350-8 400-8



350-5 350-8



11x400-4



13x500-6



16x650-8



15x650-6



18x850-8



13x500-6



15x600-6



15x600-6



18x850-8



**PACKAGE**







$\Phi 32\Phi 25\Phi 16$



$\Phi 19\Phi 13\Phi 12$



$\Phi 22\Phi 16$



$\Phi 25$



$\Phi 25$



$\Phi 32\Phi 25$



$\Phi 28$



$\Phi 38\Phi 32$



$\Phi 38\Phi 30$